		CLASSIFICATION CONFIDE	ETIAL	1	7
		CENTRAL INTELLIG	ENCE: AGENCY		
		INFORMATION	N REPORT		
:	COUNTRY	Yugoslavia		DATE DISTR. 15 sept 1954	25X1
	SUBJECT	The Central Medical School for Me Technicians Srednija Medicinska Medicinskih Tehnicara Location.	Skola	NO. OF PAGES 2	
		TANDELLE TOMICOLO: INCOME	our rearrange oc.	NO. OF ENCLS. (LISTED BELOW)	
			25X1	SUPPLEMENT TO REPORT NO.	
·	or the waters at any 194, by the Lution or 21s co	ANTAINA TOPONOCTION AFFICENCY FOR NATIONAL DEFECTS (CATAL ANTAIN THE PROBABLE OF TETAL IS. MALTINES FOR (A.S. Soni, a America. The secondaristic section (A.S. Soni, a America. The secondaristic section (A.S. Soni, a America. The secondaristic probable is (A.S. Soni, a America. The secondaristic probabilities. (A.S. Soni, a America. The secondaristic probabilities.	THIS IS UN	EVALUATED INFORMATION	
					25X1
	1.	The Central Medical School for Me cinske Skola Medicinskih Tehnicar to 1947 at Mirogojska 4; in 1947 Stree	a7 in Zagreb was	located from 1945	
25X1		DWIGE			
	2.	The school offers a two year courmedical technicians, such as x-ra The curriculum subjects:	y. Laboratory, et		
,•		first year: biology, chemist literature, Lati		ce Croatian	25X1
			fous diseases, x- urgery, internal :		25X1
	3.	During the first year, students u various techniques they are taught two days per week in a hospital chelp with actual treatment of pat.	t. The second year in Zagret w	ar includes	
	<u>1.</u> .	The faculty is of all Yugoslav not an MD degree except the teacher of Mark slav medical circles and is consist Yugoslav doctor specializing in the Dr Mark was assessment director of	f Croatish litera is well dered perhaps the -ray treatment of	ture. In Bruno 1 known in Yugo- outstanding lung diseases.	25X1
	X C	CLASSIFICATION CONFIRMITIAL CONFIRMINATION DISTRIBUTION CLASSIFICATION CONFIRMITIAL CLASSIFICATION CONFIRMITIAL			
05V4	TRMY (SEA) K				
25X1					

Sanitized Copy Approved for Release 2011/09/01 : CIA-RDP80-00809A000600060316-5

	•			
		COMPIDMENTIAL 2	•	
			·	
	_			
•	6. With the exception old /from 19547, a	of one US x-ray machine	which is about 10 years chool is German made and	
	6. With the exception old from 19547, a is from 10 to 20 y	of one US x-ray machine 11 the equipment in the sears old from 19547.	which is about 10 years chool is German made and	
4	6. With the exception old from 19547, a is from 10 to 20 y	of one US x-ray machine 11 the equipment in the s ears old /from 19547.	which is about 10 years chool is German made and	
	6. With the exception old from 19547, a is from 10 to 20 y	of one US x-ray machine il the equipment in the sears old from 19547.	which is about 10 years chool is German made and	
	6. With the exception old from 19547, a is from 10 to 20 y	all the equipment in the sears old from 19547.	which is about 10 years chool is German made and	
	6. With the exception old from 19547, a is from 10 to 20 y	of one US x-ray machine il the equipment in the s ears old /from 19547.	which is about 10 years chool is German made and	
	6. With the exception old from 19547, a is from 10 to 20 y	all the equipment in the sears old from 19547.	which is about 10 years chool is German made and	
	6. With the exception old from 19547, a is from 10 to 20 y	all the equipment in the sears old from 19547.	which is about 10 years chool is German made and	
	6. With the exception old from 19547, a is from 10 to 20 y	all the equipment in the sears old from 19547.	which is about 10 years chool is German made and	
	6. With the exception old from 19547, a is from 10 to 20 y	all the equipment in the sears old from 19547.	which is about 10 years chool is German made and	

CONFIDENTIAL